

L Number	Hits	Search Text	DB	Time stamp
1	1344	((pre\$ldetermin\$3 or pre\$lddefin\$3) near5 directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:39
2	69	(386/35).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:41
3	0	((pre\$ldetermin\$3 or pre\$lddefin\$3) near5 directory)) and ((386/35).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:42
4	1042	(386/?).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:42
5	0	((pre\$ldetermin\$3 or pre\$lddefin\$3) near5 directory)) and ((386/?).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:42
-	608	(707/205).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 10:53
-	1434	(707/200).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 10:54
-	465	(pre-defin\$3 or predefin\$3) with directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 11:07
-	33	((pre-defin\$3 or predefin\$3) with directory) same (disk or disc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 10:58
-	17	((pre-defin\$3 or predefin\$3) with directory) same (hierarchical near5 director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 11:19
-	8	((707/205).CCLS.) and ((pre-defin\$3 or predefin\$3) with directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 11:05
-	32	((pre-defin\$3 or predefin\$3) near5 (portion or area or section or block\$1)) with directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:04
-	858	(file\$1) same (hierarchical near5 director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 11:20
-	54	(file\$1) same (hierarchical near5 director\$3) same (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 12:24

-	77	(hierarchical near5 director\$3) same (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:35
-	63	(video adj data) near5 directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 12:54
-	83047	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 (area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:41
-	288	((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 (area)) same director\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 14:13
-	7	((707/205).CCLS.) and (((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 (area)) same director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:40
-	71116	(file adj format) enar5 director\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:41
-	549	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near10 (continuous near5 area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:42
-	1	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near10 (continuous near5 area) with director\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:43
-	16	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near10 (continuous near5 area) with (file\$1 or director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:55
-	17	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3 or pre-allocated or preallocated) near10 (continuous near5 area) with (file\$1 or director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:51
-	236	defined adj directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:54
-	5	((707/205).CCLS.) and (defined adj directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:51
-	13	pre-defined adj directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:54
-	2213	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near10 (director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 13:55

-	387	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:06
-	379	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:56
-	232	((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (directory)) and (disk or disc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:56
-	168	((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (directory)) and (disk or disc) and record\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:14
-	42	((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj directory) with record\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:26
-	1602	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 director\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:14
-	157	((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 director\$3) with record\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:14
-	42	((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (directory)) with record\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:14
-	41	((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj area) with directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:39
-	0	(pre-defined adj area\$1) near5 (disk or disc) near5 (file\$1 or director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:36
-	0	(pre-defined adj area\$1) with (disk or disc) with (file\$1 or director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:37
-	4	(pre-defined adj area\$1) with (file\$1 or director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:38
-	0	(pre-defined adj area\$1) and ((707/205).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:38
-	0	(pre-defined adj directory adj area\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:38

-	1	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj directory adj area\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:39
-	379	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 14:40
-	2	((707/205).CCLS.) and ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:05
-	1541	(recording adj (file\$1 or director\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:05
-	100	(predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) same ((recording adj (file\$1 or director\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:06
-	100	(recording adj (file\$1 or director\$3)) same (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:07
-	599	(recording) with ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 (file\$1 or director\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:08
-	84	(recording) with ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (file\$1 or director\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:17
-	13	(recording) with ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:23
-	5	ensured adj directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:24
-	65	predefined adj directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:27
-	0	recording adj (predeternined or predefined) adj (director\$3 or file\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:28
-	4	recording with ((predeternined or predefined) adj (director\$3 or file\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:29
-	183	((predeternined or predefined) adj (director\$3 or file\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:29

-	2	((predetermined or predefined) adj (director\$3 or file\$1)) same (root adj directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:30
-	0	((predetermined or predefined) adj (director\$3 or file\$1)) same (sub adj director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:31
-	3	((predetermined or predefined) adj (director\$3 or file\$1)) and (sub adj director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:31
-	1	((predetermined or predefined) adj directory) and (sub adj director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:32
-	27	((predetermined or predefined) adj directory) and (sub adj director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:34
-	0	((predetermining or predefining) adj directory) and (sub adj director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:34
-	2	((predetermining or predefining) adj directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:35
-	17	((predetermining or predefining) adj area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:54
-	174	pre-defin\$3 adj area\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:15
-	1	(pre-defin\$3 adj area\$1) with directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:16
-	4	(pre-defin\$3 near\$5 area\$1) with directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:27
-	0	area adj ensur\$3 adj directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:31
-	66	predefin\$3 adj directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:48
-	576	hierarchical adj director\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:57

-	4	(hierarchical adj director\$3) and (pre\$1defin\$3 adj (area or director\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 16:57
-	1951	(pre\$1defin\$3 adj (area or director\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 16:52
-	82	(pre\$1defin\$3 adj (area or director\$3)) with record\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 16:54
-	0	((707/205).CCLS.) and ((pre\$1defin\$3 adj (area or director\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 16:54
-	1	((707/200).CCLS.) and ((pre\$1defin\$3 adj (area or director\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 16:54
-	77	pre\$1defin\$3 adj director\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 16:55
-	576	(hierarchical adj director\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 16:57
-	16	(hierarchical adj director\$3) same (predefined or predetermined)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/01 16:57
-	462	directory near5 ensur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/02 09:55
-	15	(directory near5 ensur\$3) near10 disk	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/02 09:11
-	11	(directory near5 ensur\$3) with record\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/02 10:08
-	14	ensur\$3 adj record\$3 adj area	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/02 10:17
-	13	ensur\$3 adj continuous adj area	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/02 10:18